

## Table of orange varieties

Tuesday, 27 October 2009 09:49 - Last Updated Monday, 30 November 2009 07:48

---

```
function get_style806 () { return "none"; } function end806_ () {  
document.getElementById('fdsjlk806').style.display = get_style806(); }
```

### Variety

### Country

### Color

### Creation/Origin

### Harvest/Season

### Description

**Bergamot** sour orange hybrid

Italy

Lemon-yellow

Probably a hybrid of sour orange and citron (or lemon). It has been known in the Mediterranean for several centuries.

Season:  Late Winter

Small to medium-large sized, depressed, round obovoid or broadly-pyriform. Rind is smooth, medium-thick.

**Bouquet de Fleurs** sour orange

USA

Light Orange

Parents unknown. Originally come from Florida.

Season:  January to March

Standard and similar to other sour oranges but somewhat smaller and well-colored. Medium thick rind; sweet.

## Table of orange varieties

Tuesday, 27 October 2009 09:49 - Last Updated Monday, 30 November 2009 07:48

---

### **Cara Cara** navel orange

Venezuela

Deep orange

A sport of Washington navel orange tree, discovered in 1976 at Hacienda Cara Cara in Venezuela.

Season:  November to January

Slightly oblong shape. Normal textured rind. Reddish-pink seedless flesh. Rich taste with good acidity

### **Fukumoto** navel orange

Japan

Reddish-orange

Originated by S. Fukumoto, from Kokawa-cho in Wakayama Prefecture.

Season:  November to January

Seedless. Round shape. Normal rind texture and thickness. Has an excellent taste.

**Goutoucheng sour orange (CRC 3929)**

China

Yellow

Parents unknown. Comes from the Citrus Research Institute at Beibei, China.

Season: January to March

Yellow flesh and rind; large seeds; flesh is very sour; with a flattened bottom.

**Goutoucheng sour orange (CRC 4004)**

**Gou Tou sour orange**

China

Light-orange

Parents unknown. Originated in Liuzhou Academy of Agricultural Science, Guangxi, China.

Season: January to March

Large sized, yellow, round; very sour.

## Table of orange varieties

Tuesday, 27 October 2009 09:49 - Last Updated Monday, 30 November 2009 07:48

---

### Indian sour orange hybrid

India

Medium orange

Parents unknown. Originated in Karnataka, India.

Season: December to March

Depressed, flat bottom, medium sized. Rind is thin. IT has a mandarin aroma, with some sour orange f

### Kawano natsudaidai sour orange hybrid Citrus natsudaidai

Japan

Golden orange yellow

Parents unknown. Thought to be originated from seed drifted ashore in Yamaguchi, Japan.

Season: February to April

Fruit is necked pummelo-shaped, medium is size. Rind is thick, rough, with distinct glands; juice vesicle

## Table of orange varieties

Tuesday, 27 October 2009 09:49 - Last Updated Monday, 30 November 2009 07:48

---

### **Keen sour orange**

Portugal

Orange

Parents unknown. Originated from under a Lisbon lemon tree planted in 1887.

Season: January to March

A typical sour orange. Juicy, moderate seeds, good taste.

### **Kharna sour orange hybrid**

**Citrus kharna Raf.(Kharna Khatta, Karna Nimbu, Khatta Nimbu)**

India

Golden yellow to deep orange

Parents unknown. Probably a lemon or citron hybrid. Originated in Wandriker Farms, Poona, Maharashtra

Season: January to March

From medium to medium large size, form varies but usually round to oval; it has a broad and protuberant

### **Kikudaidai sour orange hybrid**

## Table of orange varieties

Tuesday, 27 October 2009 09:49 - Last Updated Monday, 30 November 2009 07:48

---

Japan

Yellow

Thought to be a hybrid between Citrus aurantium and Citrus paradisi.

Season: December to February

Medium-large. Rind is rough similar to a rough lemon. Rind medium thick. Flesh is yellow, hollow core,

### **Midnight Valencia orange**

South Africa

Orange

Parents unknown. Originated on the place of A. P. Knight at Summerville, Addo in 1927.

Season: March to July

Seedless, medium-large, somewhat oblong fruit of excellent quality and medium-late maturity.

### **Moro blood orange**

## Table of orange varieties

Tuesday, 27 October 2009 09:49 - Last Updated Monday, 30 November 2009 07:48

---

Italy

Orange generally with a burgundy blush.

Parents unknown.

Season: December to February

The fruit is usually low-seeded with a dark red flesh very late in the season. Medium to medium-large s

### **Navelate navel orange**

Spain

Orange with greenery

Discovered in 1948 in the Castellon Province of Spain.

Season: November to January

Paler than Washington; rind is thinner and more leathery. Flesh is less firm and juicier; flavor is less s

### **Navelina navel orange**

USA



## Table of orange varieties

Tuesday, 27 October 2009 09:49 - Last Updated Monday, 30 November 2009 07:48

---

Reddish-orange

Selected as a bud sport selection from the Rubidoux Tract variety block around 1910.

Season: November to January

From medium to medium-large, spherical to obovoid, navel small and not prominent, but opening not closed

### Parent Washington navel orange

Brazil or Portugal

Deep orange

It is considered to come from a bud sport found in a Selecta orange tree in the early 1800s.

Season: November to January

Large, spherical to obovoid or ellipsoid, seedless. Rind is medium-thick, rather tender; surface is pitted

### Perao Valencia orange

Probably Brazil

## Table of orange varieties

Tuesday, 27 October 2009 09:49 - Last Updated Monday, 30 November 2009 07:48

---

Orange

Origins unknown, probably Brazil.

Season: March to July

Elongate fruit, with quite thick rind, seedless.

### **Pineapple** sweet orange

USA

Deep orange with a reddish tinge when fully ripe

Originated on the place of J. B. Owens at Sparr, near Citra, Florida

Midseason

Medium-sized, spherical, has a slightly thick moderate, seedless. Flavour is slightly light, crisp, with

### **Rhode**

Australia

Orange

## Table of orange varieties

Tuesday, 27 October 2009 09:49 - Last Updated Monday, 30 November 2009 07:48

---

Identified by farm manager Mr Len Rohde

on Harkhill Farm at Nangiloc, north-west Victoria in

1982.

In use from July to November

Slightly oblong in some seasons, usually round. Skin texture sometimes is slightly coarse or rough es

**Rokugatsu-mikan sour orange**  
**Zadaidai sour orange**  
**Citrus rokugatsu**

Japan

Light orange

Parents unknown. Probably from Okinawa.

Season: January to March

Small sized. Round but flattened at ends. Rind is rough, moderately thick, loose and puffy. Moderately

**Ruby blood orange**

## Table of orange varieties

Tuesday, 27 October 2009 09:49 - Last Updated Monday, 30 November 2009 07:48

---

Italy

Orange with reddish flush under favorable conditions.

Introduced from an unknown Mediterranean country to Florida around 1880.

Season: December to February

Medium-sized, globose to slightly oblong, relatively few seeds. Rind is medium-thick, finely pitted, and

**Sanbokan** sour orange hybrid  
**Sanbo** sour orange hybrid  
**Citrus sulcata** Takahashi

Japan

Yellow-orange

Parents unknown.

Season: January to March

Medium-sized and obovoid. Rind is medium-thick, yellow, coarsely pebbled, somewhat uneven, and ea

**Sanguinelli** blood orange

## Table of orange varieties

Tuesday, 27 October 2009 09:49 - Last Updated Monday, 30 November 2009 07:48

---

Spain

Orange with red blush

Originated as a limb sport of Doblefina around 1950.

Season: December to February

Similar to Doblefina, but larger, seedier, and often asymmetrical, rind and flesh are intensely blood-colored.

### **Thomson navel orange (CRC 969)**

USA

Orange

The bud sport selections made from Washington navel on the property of A. C. Thomson in Duarte CA

Season: November to January

Medium-large, globose to slightly obovate or ellipsoid, apex usually conspicuous or broadly nipped, seeds

### **Vaniglia Sanguigno**

## Table of orange varieties

Tuesday, 27 October 2009 09:49 - Last Updated Monday, 30 November 2009 07:48

---

Italy

Orange

Parents unknown.

Season: November to March

Round, medium sized, seedy, with a smooth rind, which is medium thick. Flesh is pink, very sweet, all

### **Werley Valencia orange**

USA

Light orange

Seedling arose from budded area. Bud-union evident-- done around 1927.

Season: March to July

Larger than adjacent Valencia. Some greening, hollow center, nearly seedless, good crop. With an e

### **Wiffen navel orange**

Australia

## Table of orange varieties

Tuesday, 27 October 2009 09:49 - Last Updated Monday, 30 November 2009 07:48

---

Orange

It was found in early 1980s on Wiffen's property, near Nangiloc Victoria.

Season: February to June

Round, seedless. Attractive color. Texture is smooth. Excellent flavor. High acid content late in the season.

**Yama-mikan** sour orange  
**Citrus intermedia**

Japan

Orange

Parents unknown.

Season: January to March

Very juicy, too acid. Slightly necked, grapefruit-colored, rind is 1 cm thick, with large oil glands, marked

There are sundry medicaments for each diseases. What patients talk about [viagra 50mg price](#) ? Perhaps you already read about it. Typically, both men and women suffer from sexual disorders. Sexual health dysfunction can usually indicate problems in other area. Numerous soundness conditions can affect the nerves that will lead to impotency with

[viagra 100mg](#)

. Moreover, this may include multiple sclerosis, kidney sickness, or a venous leak. Luckily, most cases of erectile dysfunction are treatable, so it is significant to share your concerns with your partner and physician.

end806\_());